

AVA5P-50FX-42, HELIAX® Andrew Virtual Air™ Coaxial Cable, corrugated copper, 7/8 in, black PE jacket

#### Alternative products available:

AVA5-50FX

AVA5-50FX, HELIAX® Andrew Virtual Air™ Coaxial Cable, corrugated copper, 7/8 in, black PE jacket (Halogen free jacketing non-fire-retardant)

### **Product Classification**

Product Type Coaxial wireless cable

Product Brand HELIAX®
Product Series AVA5-50FX

Ordering Note CommScope® standard product in Europe, the Middle East, and

7/8 in

Africa | Not available in the United States or Canada

General Specifications

Flexibility Standard

Jacket Color Black

Performance Note Attenuation values typical, guaranteed within 5%

**Dimensions** 

**Nominal Size** 

Diameter Over Dielectric24.13 mm | 0.95 inDiameter Over Jacket27.991 mm | 1.102 inInner Conductor OD9.449 mm | 0.372 inOuter Conductor OD25.4 mm | 1 in

Outer Conductor OD 25.411111 | 111

**Electrical Specifications** 

**Cable Impedance** 50 ohm ±1 ohm

**COMMSCOPE®** 

**Capacitance** 73 pF/m | 22.25 pF/ft

dc Resistance, Inner Conductor2.888 ohms/km | 0.88 ohms/kftdc Resistance, Outer Conductor1.313 ohms/km | 0.4 ohms/kft

dc Test Voltage 6000 V

**Inductance**  $0.184 \, \mu H/m \, \mid \, 0.056 \, \mu H/ft$ 

**Insulation Resistance** 100000 MOhms-km

Jacket Spark Test Voltage (rms) 8000 V

Operating Frequency Band 1 - 5000 MHz

Peak Power91 kWVelocity90 %

### VSWR/Return Loss

Frequency Band	VSWR	Return Loss (dB)
800-960 MHz	1.101	26.36
1700-2200 MHz	1.101	26.36

#### Attenuation

Frequency (MHz)	Attenuation (dB/100 m)	Attenuation (dB/100 ft)	Average Power (kW)
1.0	0.113	0.034	74.43
1.5	0.138	0.042	60.73
2.0	0.16	0.049	52.56
10.0	0.359	0.11	23.37
20.0	0.51	0.156	16.46
30.0	0.627	0.191	13.39
50.0	0.814	0.248	10.32
85.0	1.068	0.326	7.86
88.0	1.088	0.332	7.72
100.0	1.162	0.354	7.23
108.0	1.209	0.368	6.95
150.0	1.433	0.437	5.86
174.0	1.548	0.472	5.43
200.0	1.665	0.507	5.05
204.0	1.682	0.513	4.99
300.0	2.059	0.628	4.08
400.0	2.398	0.731	3.5

Page 2 of 5



450.0	2.553	0.778	3.29
460.0	2.583	0.787	3.25
500.0	2.7	0.823	3.11
512.0	2.735	0.834	3.07
600.0	2.977	0.907	2.82
700.0	3.235	0.986	2.6
800.0	3.478	1.06	2.42
824.0	3.534	1.077	2.38
894.0	3.694	1.126	2.27
960.0	3.841	1.171	2.19
1000.0	3.927	1.197	2.14
1218.0	4.377	1.334	1.92
1250.0	4.44	1.353	1.89
1500.0	4.912	1.497	1.71
1700.0	5.268	1.605	1.59
1794.0	5.429	1.655	1.55
1800.0	5.439	1.658	1.54
2000.0	5.771	1.759	1.46
2100.0	5.933	1.808	1.42
2200.0	6.091	1.856	1.38
2300.0	6.247	1.904	1.34
2500.0	6.55	1.996	1.28
2700.0	6.845	2.086	1.23
3000.0	7.272	2.217	1.15
3400.0	7.819	2.383	1.07
3600.0	8.083	2.464	1.04
3700.0	8.213	2.503	1.02
3800.0	8.342	2.542	1.01
3900.0	8.47	2.581	0.99
4000.0	8.596	2.62	0.98
4100.0	8.722	2.658	0.96
4200.0	8.846	2.696	0.95
4300.0	8.969	2.734	0.94
4400.0	9.092	2.771	0.92
4500.0	9.213	2.808	0.91

4600.0	9.333	2.845	0.9
4700.0	9.453	2.881	0.89
4800.0	9.572	2.917	0.88
4900.0	9.689	2.953	0.87
5000.0	9.806	2.989	0.86

PΕ

## Material Specifications

**Jacket Material** 

**Dielectric Material** Foam PE

Inner Conductor Material Copper

Outer Conductor Material Corrugated copper

### Mechanical Specifications

Minimum Bend Radius, multiple Bends254 mm10 inMinimum Bend Radius, single Bend127 mm5 in

Number of Bends, minimum 15 Number of Bends, typical 30

 Tensile Strength
 159 kg | 350.535 lb

 Bending Moment
 27.1 N-m | 239.855 in lb

 Flat Plate Crush Strength
 1.3 kg/mm | 72.797 lb/in

## **Environmental Specifications**

Installation temperature $-40 \,^{\circ}\text{C to} + 60 \,^{\circ}\text{C (-40 °F to} + 140 °F)}$ Operating Temperature $-55 \,^{\circ}\text{C to} + 70 \,^{\circ}\text{C (-67 °F to} + 158 °F)}$ Storage Temperature $-70 \,^{\circ}\text{C to} + 70 \,^{\circ}\text{C (-94 °F to} + 158 °F)}$ 

Attenuation, Ambient Temperature $68 \, ^{\circ}\text{F} \mid 20 \, ^{\circ}\text{C}$ Average Power, Ambient Temperature $104 \, ^{\circ}\text{F} \mid 40 \, ^{\circ}\text{C}$ Average Power, Inner Conductor Temperature $212 \, ^{\circ}\text{F} \mid 100 \, ^{\circ}\text{C}$ 

Packaging and Weights

 $\textbf{Cable weight} \hspace{1.5cm} 0.46 \text{ kg/m} \hspace{0.2cm} \mid \hspace{0.2cm} 0.309 \text{ lb/ft}$ 

### Regulatory Compliance/Certifications

Agency Classification



CENELEC ISO 9001:2015

EN 50575 compliant, Declaration of Performance (DoP) available

Designed, manufactured and/or distributed under this quality management system



