# 400BPNM-C



#### Type N Male for CNT-400 braided cable

#### **Product Classification**

 Product Type
 Braided cable connector

 Product Brand
 CNT® | ConQuest®

### General Specifications

Body Style Straight
Inner Contact Attachment Method Captivated
Inner Contact Plating Silver
Interface N Male

 Outer Contact Attachment Method
 Clamp

 Outer Contact Plating
 Trimetal

#### Dimensions

 Width
 20.25 mm | 0.797 in


 Length
 35.48 mm | 1.397 in

 Diameter
 20.25 mm | 0.797 in

Nominal Size 0.405 in

## Outline Drawing





#### **Electrical Specifications**

Insertion Loss, typical 0.05 dB **Cable Impedance** 50 ohm **Connector Impedance** 50 ohm dc Test Voltage 2500 V **Inner Contact Resistance, maximum** 1 m0hm Insulation Resistance, minimum 5000 MOhm 0 - 6000 MHz **Operating Frequency Band Outer Contact Resistance, maximum** 0.25 m0hm Peak Power, maximum 10 kW RF Operating Voltage, maximum (vrms) 707 V

#### VSWR/Return Loss

Frequency Band	VSWR	Return Loss (dB)
0-3000 MHz	1.046	32.96
3000-6000 MHz	1.18	22

### Mechanical Specifications

Connector Retention Tensile Force330 N | 74.187 lbfConnector Retention Torque0.56 N-m | 4.956 in lb

Page 2 of 4

## 400BPNM-C

Coupling Nut Proof Torque1.7 N-m15.046 in lbCoupling Nut Proof Torque MethodIEC 61169-16:9.3.6

**Coupling Nut Retention Force** 450 N | 101.164 lbf

**Coupling Nut Retention Force Method** IEC 61169-16:9.3.11

Interface Durability 500 cycles

Interface Durability Method IEC 61169-16:9.5

Mechanical Shock Test Method IEC 60068-2-27

#### **Environmental Specifications**

Operating Temperature  $-40 \,^{\circ}\text{C}$  to  $+85 \,^{\circ}\text{C}$  (-40  $^{\circ}\text{F}$  to  $+185 \,^{\circ}\text{F}$ )

Storage Temperature  $-65 \,^{\circ}\text{C}$  to  $+125 \,^{\circ}\text{C}$  (-85  $^{\circ}\text{F}$  to  $+257 \,^{\circ}\text{F}$ )

Attenuation, Ambient Temperature 20 °C | 68 °F

Average Power, Ambient Temperature40 °C | 104 °FAverage Power, Inner Conductor Temperature100 °C | 212 °F

Climatic Sequence Test Method IEC 60068-1

Corrosion Test Method IEC 60068-2-11

Damp Heat Steady State Test Method IEC 60068-2-3

Immersion Depth1 mImmersion Test MatingMated

Immersion Test Method IEC 60529:2001, IP68

Thermal Shock Test Method IEC 60068-2-14

Vibration Test Method IEC 60068-2-6

Packaging and Weights

**Weight, net** 37.55 g | 0.083 lb

## Regulatory Compliance/Certifications

AgencyClassificationCHINA-ROHSBelow maximum concentration valueISO 9001:2015Designed, manufactured and/or distributed under this quality management systemREACH-SVHCCompliant as per SVHC revision on www.commscope.com/ProductComplianceROHSCompliantUK-ROHSCompliant



# 400BPNM-C



## \* Footnotes

**Insertion Loss, typical** 0.05√ freq (GHz) (not applicable for elliptical waveguide)

**Immersion Depth** Immersion at specified depth for 24 hours

