# 78EZNF



Type N Female EZfit® for 7/8 in FXL-780, AVA5-50, and AVA5-50FX cable

### **Product Classification**

Product Type Wireless and radiating connector

**Product Brand** EZfit®

Product Series AVA5-50 | AVA5-50FX | AVA5RK-50

Ordering Note CommScope® non-standard product

General Specifications

Body Style Straight

Cable Family AVA5-50 | AVA5-50FX | FXL-780

Inner Contact Attachment Method Captivated

Inner Contact Plating Silver

**Interface** N Female

Mounting Angle Straight

Outer Contact Attachment Method Clamp

Outer Contact Plating Trimetal

**Pressurizable** No

**Dimensions** 


 Length
 52.07 mm | 2.05 in

 Diameter
 37.08 mm | 1.46 in

Nominal Size 7/8 in

Outline Drawing





Two +43 dBm carriers

2 m0hm

### **Electrical Specifications**

Inner Contact Resistance, maximum

**3rd Order IMD Test Method** 

**3rd Order IMD at Frequency** -116 dBm @ 1800 MHz

**Insertion Loss Coefficient, typical** 0.05

Cable Impedance50 ohmConnector Impedance50 ohmdc Test Voltage2000 V

Insulation Resistance, minimum5000 MOhmOperating Frequency Band0 - 5000 MHz

Outer Contact Resistance, maximum 0.3 mOhm

**Peak Power, maximum** 10 kW

RF Operating Voltage, maximum (vrms) 707 V

## VSWR/Return Loss

Frequency Band	VSWR	Return Loss (dB)
50-1000 MHz	1.02	40.09
1000-1900 MHz	1.025	38.17
1900-2200 MHz	1.041	33.94

**COMMSCOPE®** 

## 78EZNF

 2200-2700 MHz
 1.058
 31

 2700-3600 MHz
 1.065
 30.04

 3600-5000 MHz
 1.106
 25.96

#### Mechanical Specifications

Attachment Durability 25 cycles

Connector Retention Tensile Force1,334.47 N | 300 lbfConnector Retention Torque8.14 N-m | 72.001 in lb

**Insertion Force** 66.72 N | 15 lbf

**Insertion Force Method** MIL-C-39012C-3.12, 4.6.9

Interface Durability 500 cycles

**Interface Durability Method** IEC 61169-16:9.5

Mechanical Shock Test Method MIL-STD-202F, Method 213B, Test Condition C

### **Environmental Specifications**

Operating Temperature  $-40 \,^{\circ}\text{C}$  to  $+85 \,^{\circ}\text{C}$  ( $-40 \,^{\circ}\text{F}$  to  $+185 \,^{\circ}\text{F}$ )

Storage Temperature  $-55 \,^{\circ}\text{C}$  to  $+85 \,^{\circ}\text{C}$  ( $-67 \,^{\circ}\text{F}$  to  $+185 \,^{\circ}\text{F}$ )

Attenuation, Ambient Temperature  $20 \, ^{\circ}\text{C} \mid 68 \, ^{\circ}\text{F}$ Average Power, Ambient Temperature  $40 \, ^{\circ}\text{C} \mid 104 \, ^{\circ}\text{F}$ 

Corrosion Test Method MIL-STD-1344A, Method 1001.1, Test Condition A

Immersion Depth1 mImmersion Test MatingMated

**Immersion Test Method** IEC 60529:2001, IP68

Moisture Resistance Test Method MIL-STD-202F, Method 106F

**Thermal Shock Test Method** MIL-STD-202F, Method 107G, Test Condition A-1, Low Temperature -55 °C

Vibration Test Method IEC 60068-2-6

Water Jetting Test Mating Mated

Water Jetting Test Method IEC 60529:2001, IP66

Packaging and Weights

**Weight, net** 135.54 g | 0.299 lb

Regulatory Compliance/Certifications

Agency Classification

**COMMSCOPE®** 

# 78EZNF

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system

REACH-SVHC Compliant as per SVHC revision on www.commscope.com/ProductCompliance

ROHS Compliant UK-ROHS Compliant



### \* Footnotes

**Insertion Loss Coefficient, typical** 0.05√ freq (GHz) (not applicable for elliptical waveguide)

**Immersion Depth** Immersion at specified depth for 24 hours

