## NG4-VDMR1MBA20BA00



NG4access® Module VAM, DWDM, 8 channels, upgrade port, 100 GHz channel spacing, starting channel 20, 1 circuit, Mux, LC/APC, right, no test ports

- VAMs help enhance optical transport systems by providing flexible, easy to incorporate optical components into the network
- VAMs increase fiber capacity and help troubleshooting or distributing signals to multiple subscribers

### Product Classification

Regional Availability Latin America | North America

PortfolioCommScope®Product TypeDWDM moduleProduct BrandNG4access®

Product Series NG4

### General Specifications

**Device Type** Plug-and-play module

**Functionality** Multiplexing

**Application** For use with NG4 access frames

Circuits, quantity 1

**Distribution Type** 8-channel DWDM

Interface, frontLC/APCInterface, InputLC/APCInterface, OutputLC/APC

Multiplexers, quantity 1

Port Type, optional Upgrade port

Tray Orientation Right orientation

### **Dimensions**

 Height
 13.21 mm | 0.52 in

 Width
 159.77 mm | 6.29 in

 Depth
 130.3 mm | 5.13 in



# NG4-VDMR1MBA20BA00

## **Optical Specifications**

**Channel Spacing** 100 GHz

Starting Channel Number 20

## Packaging and Weights

Packaging quantity 1

## Regulatory Compliance/Certifications

Agency Classification

CHINA-ROHS Above maximum concentration value

REACH-SVHC Compliant as per SVHC revision on www.commscope.com/ProductCompliance

ROHS Compliant/Exempted UK-ROHS Compliant/Exempted

