

## Diplexer for ERA® 614-896 & 1695-2200 MHz Outdoor Applications

#### **Product Classification**

Product Type Diplexer
Product Brand ERA®

#### General Specifications

Application Outdoor
Input Connector Interface 4.3-10 Male

Note Detailed Product Specifications are available. Please contact your local ANDREW

representative.

**Output Connector Interface** 4.3-10 Female

#### **Dimensions**

 Height
 178 mm | 7.008 in

 Width
 69 mm | 2.717 in

 Depth
 41 mm | 1.614 in

### **Electrical Specifications**

Insertion Loss, maximum0.25 dBReturn Loss, minimum23 dBAverage Power, maximum1 WImpedance50 ohm

Intermodulation -155dBc @ 2 x +30dBm CW (3rd Order)

**Isolation, maximum** 40 dB

**Operating Frequency Band** 1695 – 2200 MHz | 614 – 896 MHz

Passband Ripple, Tolerance  $\pm 0.7 \text{ dB}$ Peak Power, maximum 0.01 kW

#### **Environmental Specifications**



# 7779139-00

#### **Ingress Protection Test Method**

IEC 60529:2001, IP65

# Regulatory Compliance/Certifications

Agency Classification

CHINA-ROHS Above maximum concentration value

ROHS Compliant/Exempted UK-ROHS Compliant/Exempted

