

## DECLARATION OF PERFORMANCE

No. Z-144\_576-CZ12-RR-99G/B2  
(Fibre count range 144 - 576, all fibre types)

1. Unique identification code of the product type: **Z-□□□-CZ-RR-□12BK/□□/99G/B2**
2. Type, batch or serial number: **Found on packaging label**
3. Intended use(s): **Supply of communications in buildings and other civil engineering works, communication cable with the objective of limiting the generation and spread of fire and smoke.**
4. Manufacturer Name: **CommScope EMEA, Ltd.  
Corke Abbey Avenue  
Bray, Wicklow, Ireland A98 FY03  
Tel: +351 1 204 2000  
Fax: +351 1 204 2003**
5. Authorized representative: **Not Applicable**
6. System/s of AVCP: **System 1+**
7. Harmonized standards: **BS EN50575:2014+A1:2016  
EN50575:2014+A1:2016**

Approved Body (UKCA): **N° 0843 – UL International (UK) Ltd.**  
Notified Body (CE): **N° 2821 – UL International (Netherlands) B.V.**

*Approved Body No. 0843 and Notified Body No. 2821 performed the determination of the product type, the initial inspection of the manufacturing facility and of FPC, the continuous surveillance, assessment, and evaluation of the FPC and the audit testing of samples taken before placing the product on the market and issued the certificate of constancy of performance.*

8. Declared performance(s):

| Essential Characteristics | Performance           | Harmonized Technical Specification |
|---------------------------|-----------------------|------------------------------------|
| Reaction to Fire          | <b>B2ca-s1a,d2,a1</b> | BS EN 50575:2014+A1:2016           |
| Dangerous Substances      | <b>None</b>           | EN 50575:2014+A1:2016              |

The performance of the product identified above is in conformity with this set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011 under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

**Name:** Nathan Hatch

**Function:** Product Engineer

**At (place):** CommScope, Claremont, NC USA

**on (date of issue):** 2022-06-22

Signature:  .....

