## MT-F1591



Wall Coaxial Cable Support Kit, self-splicing, for 12 coaxial cable runs

### **Product Classification**

Product Type Wall Support Bracket

#### General Specifications

Cable Runs, quantity 12
Hole, quantity 12
Mounting Walls

#### **Dimensions**

 Height
 152.4 mm | 6 in

 Width
 889 mm | 35 in

 Length
 2,438.4 mm | 96 in

**Hole Size** 3/4 in

#### Material Specifications

Material Type Galvanized steel

#### Mechanical Specifications

Wind Rating For Specifications, please contact steelproducts@commscope.com or call 800-255-1479

#### Packaging and Weights

Included Brackets (2) | Channel | Hardware

Packaging quantity 1

**Weight, net** 46.6 kg | 102.735 lb

## Regulatory Compliance/Certifications

Agency Classification

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system

COMMSCOPE®

# MT-F1591

#### Included Products

MT-F1588

Wall-Mount Bracket for 12 coaxial cable runs

#### \* Footnotes

**Wind Rating** 

BWS-Base Wind Speed; FBC-Florida Building Code



#### Wall-Mount Bracket for 12 coaxial cable runs

#### **Product Classification**

Product Type Mounting bracket

#### General Specifications

Cable Runs, quantity 12
Hole, quantity 12
Mounting Walls

#### Dimensions


 Height
 101.6 mm | 4 in

 Width
 50.8 mm | 2 in

 Length
 812.8 mm | 32 in

Hole Size 3/4 in

## Outline Drawing



## Material Specifications

Material Type Hot dip galvanized steel

#### Mechanical Specifications

Wind Rating For Specifications, please contact steelproducts@commscope.com or call 800-255-1479

### Packaging and Weights

**Included** Brackets

Packaging quantity 1

**Weight, net** 2.8 kg | 6.173 lb

## Regulatory Compliance/Certifications

Agency Classification

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system

Page 4 of 5

## MT-F1588

#### \* Footnotes

**Wind Rating** 

BWS-Base Wind Speed; FBC-Florida Building Code