UGBKIT-0412



Copper Ground Buss Bar, 1/4 in x 4 in x 12 in (6.4 mm x 101.6 mm x 304.8 mm)

Product Classification

Product Type

Floduct Type	Grounding bai
Product Brand	HELIAX®
Ordering Note	ANDREW® standard product (Global)
Dimensions	
Height	101.6 mm 4 in
Length	304.8 mm 12 in
Material Thickness	6.35 mm 0.25 in
Hole Size	7/16 in 7/16 in x 5/8 in
Hole Distance, center to center	19.05 mm 0.75 in
Material Specifications	
Material Type	Copper
Packaging and Weights	
Height, packed	454.66 mm 17.9 in
Width, packed	248.92 mm 9.8 in
Length, packed	50.8 mm 2 in
Included	Galvanized angle adapter Grounding bar Insulators brackets Universal hardware
Packaging quantity	1
Weight, gross	3.36 kg 7.408 lb

Grounding bar

Regulatory Compliance/Certifications

Agency	Classification
CHINA-ROHS	Below maximum concentration value
ISO 9001:2015	Designed, manufactured and/or distributed under this quality management system

Page 1 of 2



Mounting

©2025 ANDREW, an Amphenol company. All rights reserved. Amphenol and ANDREW are registered trademarks of Amphenol and/or its affiliates in the U.S. and other countries. All product names, trademarks and registered trademarks are property of their respective owners. Revised: April 2, 2025

UGBKIT-0412

REACH-SVHC

ROHS

Compliant as per SVHC revision on www.andrew.com/ProductCompliance



_

Compliant Compliant

Included Products

GB-HK-DPU

Universal Buss Bar Installation Hardware Kit, UL467 Compliant

Page 2 of 2



©2025 ANDREW, an Amphenol company. All rights reserved. Amphenol and ANDREW are registered trademarks of Amphenol and/or its affiliates in the U.S. and other countries. All product names, trademarks and registered trademarks are property of their respective owners. Revised: April 2, 2025